

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L12	2	amplifier and switch\$3 and detect\$3 and (encoder or (multi near1 plex\$3)) and (feedback or ((feed or fed) near1 back)) and (PWM or (pulse near2 modulat\$3)) and @ad<="20031112"	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 14:37
L18	306	amplifier and switch\$3 and (detect\$3 same (encoder or (digital\$5 near1 (logic or (controller or control ir controlled or controlling))) or (multi near1 plex\$3))) and (feedback or ((feed or fed) near1 back)) and (PWM o modulator or (pulse near2 modulat\$3)) and @ad<="20031112" and (time or timing or clock\$3) and ("330"/\$. ccls. or "332"/\$.ccls. or "375"/\$. ccls.)	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/21 14:57
L19	34	330/10.ccls. and detect\$3 and switch\$3 and (encoder or (digital\$5 near1 (logic or (controller or control ir controlled or controlling))) or (multi near1 plex\$3)) and (feedback or ((feed or fed) near1 back)) and @ad<="20031112" and (time or timing or clock\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/21 14:59
L23	220	330/10.ccls. and detect\$3 and (feedback or ((feed or fed) near1 back)) and @ad<="20031112"	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/21 15:00
S1	1435	(330/10).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/25 09:46
S10	282	(330/207A).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/04 13:20
S12	373	(330/251).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/25 09:08
S20	49	330/10.ccls. and (dead near1 time) and (control or controller or controlling or controlled)	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/25 13:08
S23	430	(330/10 or 330/251 or 330/207A or 375/238 or 375/239 or 332/107). ccls. and ((feed\$3 or fed) near1 back) and (control or controller or controlling or controlled)	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/25 13:10

S24	389	(330/10 or 330/251 or 330/207A or 375/238 or 375/239 or 332/107). ccls. and ((feed\$3 or fed) near1 back) and (control or controller or controlling or controlled) and (time or timing or delay\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/25 13:31
S25	21	(330/10 or 330/251 or 330/207A or 375/238 or 375/239 or 332/107). ccls. and ((feed\$3 or fed) near1 back) and (control or controller or controlling or controlled) and (time or timing or delay\$3) and (dead near1 (time or zone))	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/25 13:14
S27	330	(330/10 or 330/251 or 330/207A). ccls. and ((feed\$3 or fed) near1 back) and (control or controller or controlling or controlled)	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/25 14:49
S28	109	(375/238 or 375/239 or 332/107). ccls. and ((feed\$3 or fed) near1 back) and (control or controller or controlling or controlled) and (time or timing or delay\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/25 13:32
S35	1	amplifier and detect\$3 and switch\$3 and (encoder or encoding) and (feedback or (feed near1 back)) and (control or controller or controlling or controlled) and (dead near1 tim\$3)	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 13:26
S36	22	amplifier and detect\$3 and switch\$3 and (encoder or encoding) and (feedback or (feed near1 back)) and (control or controller or controlling or controlled)	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 13:26
S37	179	amplifier and detect\$3 and switch\$3 and (encoder or encoding) and (feedback or (feed near1 back)) and (control or controller or controlling or controlled) and (pulse near1 width) and ((dead or blank) near1 tim\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/04 13:40
S38	16	amplifier and detect\$3 and switch\$3 and (encoder or encoding) and (feedback or (feed near1 back)) and 330/10.CCLS.	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/04 14:34
S39	106	amplifier and detect\$3 and switch\$3 and (encoder or encoding) and (feedback or (feed near1 back)) and "330"/\$.CCLS.	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/04 14:46
S42	15	amplifier and switch\$3 and detect\$3 and encoder and 330/10. ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/06 13:26

S49	384	amplifier and switch\$3 and detect\$3 and (encoder or (multi near1 plexer)) and (feedback or ((feed or fed) near1 back)) and "455"/\$.ccls. and @ad<="20031112"	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/08 07:46
S50	107	amplifier and switch\$3 and (detect\$3 same (encoder or (multi near1 plexer))) and (feedback or ((feed or fed) near1 back)) and "455"/\$.ccls. and @ad<="20031112"	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/08 07:59
S51	23	amplifier and switch\$3 and (detect\$3 same (encoder or (multi near1 plexer))) and (feedback or ((feed or fed) near1 back)) and "330"/\$.ccls. and @ad<="20031112"	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/08 07:58
S53	1	amplifier and switch\$3 and (detect\$3 same (encoder or (multi near1 plexer))) and (feedback or ((feed or fed) near1 back)) and (pulse near1 width) and @ad<="20031112"	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 07:58
S54	107	amplifier and switch\$3 and (detect\$3 same (encoder or (multi near1 plexer))) and (feedback or ((feed or fed) near1 back)) and "455"/\$.ccls. and @ad<="20031112" and "455"/\$.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/08 07:59
S55	0	amplifier and switch\$3 and (detect\$3 same (encoder or (multi near1 plexer))) and (feedback or ((feed or fed) near1 back)) and "455"/\$.ccls. and @ad<="20031112" and "363"/\$.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/08 07:59
S57	58	amplifier and switch\$3 and (detect\$3 same (encoder or (multi near1 plexer))) and (feedback or ((feed or fed) near1 back)) and (pulse near1 width) and @ad<="20031112" and "375"/\$.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/08 08:17
S58	17	amplifier and switch\$3 and (detect\$3 same (encoder or (multi near1 plexer))) and (feedback or ((feed or fed) near1 back)) and (pulse near1 width) and @ad<="20031112" and "455"/\$.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/08 08:06

S59	7	amplifier and switch\$3 and (detect\$3 same (encoder or (multi near1 plexer))) and (feedback or ((feed or fed) near1 back)) and (pulse near1 width) and @ad<="20031112" and "330"/\$. ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/08 08:06
S63	30	amplifier and switch\$3 and (detect\$3 same (encoder or (multi near1 plex\$3))) and (feedback or ((feed or fed) near1 back)) and (PWM or (pulse near2 modulat\$3)) and @ad<="20031112" and ((dead near1 tim\$3) or (blank\$3 near1 tim\$3))	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/08 08:49
S65	76	amplifier and switch\$3 and detect\$3 and (logic or binary) and (feedback or ((feed or fed) near1 back)) and (PWM or (pulse near2 modulat\$3)) and @ad<="20031112" and 330/10. ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/08 08:52
S67	37	"330"/\$.ccls. and (shoot near1 through)	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/08 09:18
S68	15	"330"/10.ccls. and (shoot near1 through)	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/08 09:18



Welcome United States Patent and Trademark Office

[Home](#) | [Login](#) | [Logout](#) | [Access Infor](#)

☐ **Advanced Search**

BROWSE


SEARCH



IEEE XPLORE GUIDE





OPTION 1

Enter keywords or phrases, select fields, and select operators

in All Fields 

AND  in All Fields 

AND  in All Fields 

» **Note:** If you use all three search boxes, the entries in the first two boxes take precedence over the entry in the third box.



OPTION 2

Enter keywords, phrases, or a Boolean expression

amplifier and (detect or detecting or
detector) and feedback and (modulation or
modulating or modulated or modulator or
PWM)

» Note: You may use the search operators <and> or <or> without the start and end brackets <>.

» [Learn more about Field Codes, Search Examples, and Search Operators](#)



Help

» Publications



 Select publications

- ☒ IEEE Periodicals
- ☒ IEE Periodicals
- ☒ IEEE Conference Proceedings
- ☒ IEE Conference Proceedings
- ☒ IEEE Standards

» **Other Resources** (Available for P

- IEEE Books

» **Select date range**

- ☐ Search latest content update
- ☒ From year 
- to 

» Display Format

- ☒ Citation ☐ Citation

- » **Organize results**

Maximum


Display 25 result

Sort by **Relevance**In Descending

[Help](#) [Contac](#)

© Copy

Indexed by




[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [All](#)

Welcome United States Patent and Trademark Office

Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

Results for "((amplifier and (detect or detecting or detector) and feedback and (modulation or modulating or modu..."

e-mail

Your search matched 24 of 1260866 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

[View Session History](#)
[New Search](#)

Modify Search

☐ Check to search only within this results set

 Display Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL	IEEE Journal or Magazine
IEE JNL	IEE Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IEE CNF	IEE Conference Proceeding
IEEE STD	IEEE Standard

Select Article Information

- | | |
|--------------------------|--|
| <input type="checkbox"/> | <p>1. Performance of a high-voltage DC amplifier for electrostatic levitation applications
 Feng-Tian Han; Zhong-Yu Gao; Yong-Liang Wang;
 Industrial Electronics, IEEE Transactions on
 Volume 50, Issue 6, Dec 2003 Page(s):1253 - 1258
 Digital Object Identifier 10.1109/TIE.2003.819664
 AbstractPlus Full Text: PDF(416 KB) IEEE JNL</p> |
| <input type="checkbox"/> | <p>2. The effects of ACI and nonlinearities on the performance of ideal and non-ideal differentially signals
 Mathiopoulos, P.T.; Toor, J.S.;
 Communication Technology Proceedings, 1998. ICCT '98. 1998 International Conference on
 22-24 Oct. 1998 Page(s):6 pp. vol.1
 Digital Object Identifier 10.1109/ICCT.1998.743397
 AbstractPlus Full Text: PDF(532 KB) IEEE CNF</p> |
| <input type="checkbox"/> | <p>3. Effects of ACI and nonlinearities on the performance of differentially detected GMSK signals
 Mathiopoulos, P.T.; Karagiannidis, G.K.; Toor, J.S.;
 Communications, IEE Proceedings-
 Volume 151, Issue 2, 22 April 2004 Page(s):163 - 169
 Digital Object Identifier 10.1049/ip-com:20040364
 AbstractPlus Full Text: PDF(1405 KB) IEE JNL</p> |
| <input type="checkbox"/> | <p>4. A new predistortion linearizer using envelope-feedback technique for PCS high power ampli
 Hyun-Min Park; Dong-Hyun Baek; Kyeik Jeon; Jeong-Woo Moon; Songcheol Hong;
 Radio and Wireless Conference, 1999. RAWCON 99. 1999 IEEE
 1-4 Aug. 1999 Page(s):223 - 226
 Digital Object Identifier 10.1109/RAWCON.1999.810970
 AbstractPlus Full Text: PDF(192 KB) IEEE CNF</p> |
| <input type="checkbox"/> | <p>5. A 10 Gb/s optical heterodyne detection experiment using a 23 GHz bandwidth balanced rece
 Takachio, N.; Iwashita, K.; Hata, S.; Katsura, K.; Onodera, K.; Kikuchi, H.;
 Microwave Symposium Digest, 1990., IEEE MTT-S International
 8-10 May 1990 Page(s):149 - 151 vol.1
 Digital Object Identifier 10.1109/MWSYM.1990.99544
 AbstractPlus Full Text: PDF(208 KB) IEEE CNF</p> |
| <input type="checkbox"/> | <p>6. Clocked-sense-amplifier-based smart-pixel optical receivers</p> |

Woodward, T.K.; Krishnamoorthy, A.V.; Goossen, K.W.; Walker, J.A.; Cunningham, J.E.; Jan, W.Y.; Hui, S.P.; Tseng, B.; Kossives, D.; Dahringer, D.; Bacon, D.; Leibenguth, R.E.;
Photonics Technology Letters, IEEE
Volume 8, Issue 8, Aug. 1996 Page(s):1067 - 1069
Digital Object Identifier 10.1109/68.508740

[AbstractPlus](#) | Full Text: [PDF\(312 KB\)](#) IEEE JNL

- ☐ 7. A magnetic feedback modulator for improved FM carrier recording
Price, R.;
Magnetics, IEEE Transactions on
Volume 1, Issue 2, Jun 1965 Page(s):111 - 114
[AbstractPlus](#) | Full Text: [PDF\(528 KB\)](#) IEEE JNL
- ☐ 8. Computer model of an injection laser amplifier
Marcuse, D.;
Quantum Electronics, IEEE Journal of
Volume 19, Issue 1, Jan 1983 Page(s):63 - 73
[AbstractPlus](#) | Full Text: [PDF\(1152 KB\)](#) IEEE JNL
- ☐ 9. Novel high precision alignment technique for polarisation maintaining fibres using a frequency tunable laser
Ebberg, A.; Noe, R.;
Electronics Letters
Volume 26, Issue 24, 22 Nov. 1990 Page(s):2009 - 2011
[AbstractPlus](#) | Full Text: [PDF\(236 KB\)](#) IEEE JNL
- ☐ 10. Differentially detected GMSK signals in the presence of ACI and nonlinearities
Mathiopoulos, P.T.;
Personal, Indoor and Mobile Radio Communications, 2000. PIMRC 2000. The 11th IEEE International Symposium on
Volume 1, 18-21 Sept. 2000 Page(s):589 - 594 vol.1
Digital Object Identifier 10.1109/PIMRC.2000.881491
[AbstractPlus](#) | Full Text: [PDF\(468 KB\)](#) IEEE CNF
- ☐ 11. An adaptive digital technique for compensating for analog quadrature modulator/demodulator nonlinearities
Lohtia, A.; Goud, P.; Englefield, C.;
Communications, Computers and Signal Processing, 1993., IEEE Pacific Rim Conference on
Volume 2, 19-21 May 1993 Page(s):447 - 450 vol.2
Digital Object Identifier 10.1109/PACRIM.1993.407325
[AbstractPlus](#) | Full Text: [PDF\(316 KB\)](#) IEEE CNF
- ☐ 12. A predistortion linearizer using envelope-feedback technique with simplified carrier cancellation for class-A and class-AB power amplifiers
Hyun-Min Park; Dong-Hyun Baek; Kye-Ik Jeon; Songcheol Hong;
Microwave Theory and Techniques, IEEE Transactions on
Volume 48, Issue 6, June 2000 Page(s):898 - 904
Digital Object Identifier 10.1109/22.846715
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(160 KB\)](#) IEEE JNL
- ☐ 13. Power Amplification of Microwave FM Communication Signals Using a Phase-Locked Voltage-Controlled Oscillator
Hines, M.E.; Posner, R.S.; Sweet, A.A.;
Microwave Theory and Techniques, IEEE Transactions on
Volume 24, Issue 7, Jul 1976 Page(s):393 - 404
[AbstractPlus](#) | Full Text: [PDF\(1280 KB\)](#) IEEE JNL
- ☐ 14. High-efficiency power amplifier using dynamic power-supply voltage for CDMA applications
Hanington, G.; Pin-Fan Chen; Asbeck, P.M.; Larson, L.E.;
Microwave Theory and Techniques, IEEE Transactions on
Volume 47, Issue 8, Aug. 1999 Page(s):1471 - 1476

Digital Object Identifier 10.1109/22.780397

[AbstractPlus](#) | [References](#) | Full Text: [PDF\(156 KB\)](#) IEEE JNL

- ☐ 15. An Integrated IF Amplifier and Detector for an A.M. Upconversion Radio
Nauta, H.C.; Nordholt, E.H.;
Solid-State Circuits, IEEE Journal of
Volume 20, Issue 3, Jun 1985 Page(s):697 - 702
[AbstractPlus](#) | Full Text: [PDF\(600 KB\)](#) IEEE JNL

- ☐ 16. An advanced IF amplifier and AFT system suitable for HDTV
McGinn, M.;
Consumer Electronics, IEEE Transactions on
Volume 36, Issue 3, Aug 1990 Page(s):407 - 414
Digital Object Identifier 10.1109/30.103152
[AbstractPlus](#) | Full Text: [PDF\(452 KB\)](#) IEEE JNL

- ☐ 17. Field emitted beam diagnostics for RF amplifiers
Phillips, P.M.; Malsawma, L.; Hor, C.; Nguyen, K.; Jensen, K.L.;
Plasma Science, 1996. IEEE Conference Record - Abstracts., 1996 IEEE International Conference
3-5 June 1996 Page(s):102
Digital Object Identifier 10.1109/PLASMA.1996.550222
[AbstractPlus](#) | Full Text: [PDF\(108 KB\)](#) IEEE CNF

- ☐ 18. A MODFET-based optoelectronic integrated circuit receiver for optical interconnects
Ketterson, A.A.; Seo, J.-W.; Tong, M.H.; Nummala, K.L.; Morikuni, J.J.; Cheng, K.-Y.; Kang, S.-M.;
Electron Devices, IEEE Transactions on
Volume 40, Issue 8, Aug. 1993 Page(s):1406 - 1416
Digital Object Identifier 10.1109/16.223699
[AbstractPlus](#) | Full Text: [PDF\(1168 KB\)](#) IEEE JNL

- ☐ 19. Microwave power amplifier efficiency improvement with a 10 MHz HBT DC-DC converter
Hanington, G.; Chen, P.F.; Radisic, V.; Itoh, T.; Asbeck, P.M.;
Microwave Symposium Digest, 1998 IEEE MTT-S International
Volume 2, 7-12 June 1998 Page(s):589 - 592 vol.2
Digital Object Identifier 10.1109/MWSYM.1998.705062
[AbstractPlus](#) | Full Text: [PDF\(304 KB\)](#) IEEE CNF

- ☐ 20. A synchronous phase-lock loop detector for integrated AM radio
Straver, W.G.M.; Nordholt, E.H.; Nauta, H.C.;
Solid-State Circuits, IEEE Journal of
Volume 19, Issue 4, Aug 1984 Page(s):539 - 541
[AbstractPlus](#) | Full Text: [PDF\(568 KB\)](#) IEEE JNL

- ☐ 21. Component Signal Separation and Recombination for Linear Amplification with Nonlinear C
Cox, D.; Leck, R.;
Communications, IEEE Transactions on [legacy, pre - 1988]
Volume 23, Issue 11, Nov 1975 Page(s):1281 - 1287
[AbstractPlus](#) | Full Text: [PDF\(768 KB\)](#) IEEE JNL

- ☐ 22. Investigation of a strongly gain coupled DFB laser cascade for simultaneous multigas sensi
Phelan, R.; Lynch, M.; Donegan, J.F.; Weldon, V.;
Optoelectronics, IEE Proceedings-
Volume 150, Issue 2, 18 April 2003 Page(s):182 - 186
[AbstractPlus](#) | Full Text: [PDF\(425 KB\)](#) IEE JNL

- ☐ 23. Wavelength conversion based on an integrated semiconductor optical amplifier/DFB laser a
Input power

Sharafi, A.R.; Stephens, M.F.C.; Wonfor, A.; White, I.H.; Penty, R.V.;
Lasers and Electro-Optics, 1998. CLEO 98. Technical Digest. Summaries of papers presented at the
3-8 May 1998 Page(s):221 - 222
Digital Object Identifier 10.1109/CLEO.1998.676082
[AbstractPlus](#) | Full Text: [PDF](#)(308 KB) IEEE CNF

**24. DFB active filter/detector for multichannel FSK optical transmission**

Hui, R.; Caponio, N.; Gambini, R.; Puleo, M.; Vezzoni, G.;
Electronics Letters
Volume 27, Issue 22, 24 Oct. 1991 Page(s):2016 - 2018
[AbstractPlus](#) | Full Text: [PDF](#)(268 KB) IEE JNL



Indexed by
 Inspec

[Help](#) [Contact Us](#) [Privacy](#)

© Copyright 2005 IEEE